
TOOLINE®



Choose based on performance for price:

INSIDE:

Drilling 4

Cutting 6

Grinding 9

Sanding 10

Woodworking 11

Accessories 15

Lathes 16

Vices 17

Outdoor/Garden 32

Puma™ Air Center 20

Compressors 18

Air Tools 22

Air Hoses 26

and more...

Choose based on performance for price:

When you choose a powertool, that's just the start. You want to make sure that you've got a good deal, but also that you'll get the performance that was promised, the workability of good design and an assurance that someone will actually stand behind the sale and the quality of the product.

That's why more and more people are trusting Tooline. Shouldn't you?

Airless Paint Sprayer

Code:	R550	
Heavy duty metal construction. Supports 2 guns. Wheels and handle included.		
Max tip size (Single gun "):	.027"	
Max tip size (Twin gun "):	.019"	
Max pressure (psi):	3,300	
Max flow rate (L/min): 4		
Hose (m):	15	
Motor (W):	2,800	
Weight (Kg)	23.6	
\$2,789.00		





"You have our assurance of our commitment to source the best tools for you, offering the best value we can and standing behind our products with after-sales support, based right here in New Zealand. You can rely on our Tooline name to stand for quality, affordability and performance."

Martin Toon, Managing Director Tooline It's easy to find the products that are right for you...

INSIDE:

Drilling 4

Cutting 6

Grinding 9

Sanding 10

Woodworking 11

Accessories 15

Lathes 16

Vices 17

Outdoor/Garden 32

Puma™ Air Center 20

Compressors 18

Air Tools 22

Air Hoses 26

and more...



Great performance at great prices!

to those shown here.





Drilling

Drill Stand

Model:		DMSA
Bench mounted stand for hand-held drills.		
Specifications:		
Capacity (mm):	38 - 43	
Stroke (mm):		50
Weight (Kg):		7
\$139.00)	inc GST



208mm Bench Drill Press

Model:	DP209B	
Small and lightweight for the home workshop.		
Specifications:		
Swing (mm):	208	
Speeds (rpm):	5, 500 – 2,500	
Chuck:	13mm geared, MT2 - B16	
Stroke (mm):	45	
Motor (W):	250	
Weight (Kg):	12	






34



260mm Bench Drill Press

Model:	DP130B
Compact and sturdy, this is su a wide variety of uses. Most a for the small workshop where is limited.	opropriate

Specifications:		
Swing (mm):	260	
Speeds (rpm):	5, 620 – 2,620)
Chuck:	16mm geare	d, MT2-B16
Stroke (mm):		60
Motor (W):		450
Weight (Kg):	26	
\$380.00		





310mm Bench Drill Press

Compact and sturdy, this is suitable for a wide variety of uses. Most appropriate for the small workshop where space is limited.		
Specifications:		
Swing (mm):	310	
Speeds (rpm): 12, 300 – 2,550		
Chuck: 16mm geared, MT2		
Spindle travel (mm): 60		60
Markey (MA)		275

Weight (Kg):



325mm Bench Drill Press

Model:		DP163B
Bench mount makes this ideal for the woodworking shop where space is limited. Inbuilt light.		
Specifications:		
Swing (mm):	325	

Specifications:		
Swing (mm):	325	
Speeds (rpm):	16, 180 – 2,770	
Chuck:	16mm geared	d, MT2
Spindle travel (mm):	80
Motor (W):		550
Weight (Kg):		38
\$669.00 incGST		



360mm Bench Drill Press

Model:	DP180B
With a large coolant collecti is ideal for general engineer	

Specifications:		
Swing (mm):	360	
Speeds (rpm):	16, 180 – 2,77	0
Chuck:	16mm geare	d, MT2
Spindle travel (r	mm): 85	
Motor (W):		750
Weight (Kg):	Veight (Kg): 55	
Inbuilt lightNo volt release switch for safety		

- Cogged drive belts
 Max steel drilling capacity 20mm



325mm Floor Drill Press

Model: DP163F Floor mounted drill press suitable for woodworkers. Aluminium motor housing and pulleys make this unit lightweight and efficient.

Specifications:		
Swing (mm):	325	
Speeds (rpm):	16, 180 - 2,770	0
Chuck:	MT2-B16	
Spindle travel (mm):		80
Motor (W):		550
Weight (Kg):		55

- Chuck guard Chuck and chuck key Cogged drive belt Safety switch

\$789.00

inc GST



Model:	DP176F
Sturdy and robust with a coofor use in engineering works	

Specifications:			
Swing (mm):	352		
Speeds (rpm):	12, 280 – 2,83	0	
Chuck:	16mm geared, MT3		
Spindle travel (mm):		85	
Motor (W):		750	
Weight (Kg):		71	

- Aluminium belt pulleysInbuilt lightNo volt release switch for safety
- Cogged drive belts
- Max steel drilling capacity 28mm

\$895.00

510mm Floor Drill Press

Model:	DP255F
widuei.	DFZJJI

Ideal for large engineering workshops. Substantial work table, suitable for coolant collection.

Specifications:			
Swing (mm):	510		
Speeds (rpm):	12, 150 – 2,450		
Chuck:	16mm geared, MT4		
Spindle travel (mm):		120	
Motor (W):		1,100	
Weight (Kg):		125	

- No volt release switch for safety
 Inbuilt light
 Cogged drive belts for increased power transmission
 Increased heat dissipation
 Max steel drilling capacity: 32mm


\$1,629.00














Quality at a great price, performance after-sales support Tooline promise.

For more information, see our products instore or go online...



Cutting

Band Saw - 2 Wheel

Model:	BS240
With a power efficient motor, 80 and a tiltable cast iron table, slicin trimming planks or cutting shap been so easy.	ng veneers,

\$449.00 inc GS				
Weight (Kg): 17 Motor			r (W):	350
Sawblade length (mm):			1,575	
Blade speed (m/s):			11.5	
Throat width (mm):			230	
Specifications	s:			



Band Saw – 2 Wheel

Model:		BS356	
Large cast iron table change. Stand includ			
Specifications:			
Table size (mm):	548 x 400		
Throat width (mr	n):	340	
Blade speeds (m/	min):	400,840	

 Blade length (mm):
 2,560

 Max work piece height (mm):
 230

 Weight (Kg):
 88
 Motor (W):
 1,100



Band Saw – 2 Wheel
Model:

Model:			BS305		
Sturdy, two wheel band saw with 305mm throat for a wide variety of wood cutting. Stand included.					
Specifications:					
Throat width (mm): 305 Cutting Height (m): 155			g Height (m): 155		
Blade speeds (m/min): 370, 800			00		
Sawblade length (mm):			2,240		
Max workpiece (mm):			600 x 6	500 x 155	
Weight (Kg): 60 Mo		Мо	tor (W):	750	
¢1 110 00					



Band Saw – Meat Cutting


\$1,119.00

With Mincer					
Model:			BS250M		
Meat cutting l	bandsav	w with n	nincer an	ıd stand.	
Specification	s:				
Table size (stainless steel) (mm):			465 x 6	00	
Max cutting height (mm):			240	240	
Max cutting depth (mm):			250		
Blade (mm):	Stainle	ess steel	2,085 x 1	16 x 4	
Weight (Kg):	52	Motor	(W):	550	
\$895.00					



Band Saw - Metal Cutting

Model:	MBS116
Sturdy metal cutting bandsaw. Ic small workshop. Stand included blade guides allow for accurate	. Excellent





Band Saw - Metal Cutting

Model: MBS180		Specifications:		
180mm metal cutting bandsaw with coolant supply and hydraulic damper. Stand included.		Capacity 0° (round) (mm):		178
		Capacity 0° (square) (mm):		178 x 300
	Capacity 45° (roun	d) (mm):	110	
	Capacity 45° (square) (mm):		110 x 180	
		Blade speeds (m/	min):	4, 34/41/59/98
		Blade size (mm):	2,362 x 0.8 x 19)
	Weight (Kg):		145	
		Motor (W):		750
		\$2,819	00	incCCT



Band Saw - Metal Cutting

Model·		MBS205	
oue		IVID3203	
205mm swive	l head.		
Specification	s:		
Blade Speeds (r	n/min):	31, 50, 60	
Capacity rou	nd (mm):	205	
Rectangular	(mm):	205 x 215	
Blade (mm):	2,360 x 20 x 0.9		
Weight (Kg):	190	1,100	
¢2 000 00			
\$3,800.00			inc GST



Abrasive Cut-off Saw

Model:	ACS356			
355mm abrasive saw for metal cutting. Fast release clamp.				
Specifications:				
Blade size (mm):	355 x 25.4			
Max Capacity (round) (mm):	90			
Max Capacity (rectangle) (mm):	100 x 120			
Weight (Kg):	17			
Motor (W):	2,200			
\$399.00	inc GST			



Cut-off Saw - Single Phase

CS16	Specifications:			
v suitable	Disc Ø (mm): 406 x 3 x 25			
	Cutting capacity (round) (mm): 4		40	
	Box section (mm):	mm): 100 x 100 x 10		
_	Flat (mm):	100 x 6		
	Weight (Kg):	90		
	Motor (W): 2,200, single phase			
	\$1,349.00			
		v suitable Disc Ø (mm): Cutting capacity (n Box section (mm): Flat (mm): Weight (Kg): Motor (W):	V suitable Disc Ø (mm): 406 x 3 x 25 Cutting capacity (round) (mm): Box section (mm): 100 x 100 x 10 Flat (mm): 100 x 6 Weight (Kg): 90 Motor (W): 2,200, single pi	

Cut-off Saw – 3 Phase

cut on suw striuse						
Model:	CS17 3 Phase	Specifications:				
Heavy duty 405mm cut off saw suitable for engineering workshops.		Disc Ø (mm): 406 x 25				
		Cutting capacity (r	ound) (mm):	40		
		Box section (mm):	mm): 100 x 100 x 10			
		Flat (mm):	100 x 6			
		Weight (Kg):	90			
		Motor (W):	2,200, 3 phase			
		\$1,349.	inc GST			

Table Saw

Model:	TS250			
Table saw for the domestic workshop. Stand included.				
Specification	s:			
Blade (mm):	254 x 15.9 x 2.8, 40T			
Max cutting c	80			
Max cutting c	55			
Weight (Kg):		21.5		

1,500

inc GST



Motor (W):

Site Saw	
Model:	TS316C

Sturdy crosscut and ripping saw for use on building sites or at the workshop. Comes with stand and rear extension. Dust extraction.

_				٠,	•							
S	n	Δ	r	П	٦	r	а	ŤΙ	n	n	c	8
J	μ	·	·	ш	и	·	u	u	v	ш	J	E

Blade (mm):	315 x 30 x 3.0 (40T)		
Tilt:		0-45°	
Max cutting o	85		
Max cutting o	46		
Table size (m	800 x 550		

Crosscut Saw

Model:

Lightweight mitre saw for the domestic workshop.				
Specifications:				
Blade (mm):): 210 x 15.9 x (24T)			
Tilt Range: 0-45°				
Weight (Kg):		5.4		
Motor (W):		1,400		

CS211





Dual Bevel Sliding Crosscut Saw

Weight (Kg): 54 Motor (W):

	Model:		CSS254			
254mm slide saw with laser line, indexed mitre ste workpiece clamp and sliding fence.						
	Specifications:					
	Blade (mm):	254 x 15.9 x 2.8 ((4OT)			
	Maximum cutt	ing capacity (mm):	305 x 90			
	Weight (Kg):		21			
	Motor (W):		1,800			
	\$519.	00	inc GST			

Table Saw

Model:

Sturdy 255mm cast iron top table saw with large ripping capacity. Stand included.								
Specifications:								
Blade (mm): 254 x 30 (40 T)								
Max cutting capacity (mm):	80							
Max rip width (right) (mm):	762							
Max rip width (left) (mm):	330							
Weight (Kg):	135							
Motor (W): 1,500								
\$1.869.00	inc GST							

TS255

Panel Sizing Saw

2,000

Model:	PS255
Complete with sliding carriage extension.	, and side



GREAT BUYING \$3,949.00

Specifications:				
Blade (mm):	254 x 30			
Main table (mr	n):	560 x 800		
Cross extension	table (mm):	305 x 800		
Max timber wi	dth (mm):	630		
Max timber length (mm): 1,400				
Max depth of cut 90° (mm): 75				
Max depth of cut 45° (mm): 60				
Motor (W): 2,200				
Weight (Kg): 205				





Cutting / Grinding / Sharpening

18, 15 TPI Blades, 120 grit Sanding Stick Available



Scroll Saw

Model:	SS402					
Variable speed with 405mm throat. Engraving tool and light included.						
Specifications:						
Speeds (rpm):	riable					
Max cutting thic	kness (r	nm):	50			
Stroke (mm):			20			
Throat (mm):			405			
Weight (Kg):	16.9					
Table tilt:	(W):	125				
\$359.00						



Scroll Saw

\$689.00

	Model:		SS457
	Heavy duty, variable speed with 457mm thro Engraving tool and router table included.		
	Specifications:		
	Speeds (rpm):	Speeds (rpm): 400 - 1,600 Flexible shaft speeds (rpm): Blade Stroke (mm):	
	Flexible shaft spe		
	Blade Stroke (mn		
	Throat (mm): Weight (Kg): Motor (W):		457
			21.5
			240
	1	_	



Metal Linisher

Model:	MS76	
Heavy duty metal linisher for the engineering workshop. Stand included		
Specifications:		
Belt size (mm): 75 x 200, 80 g	rit	
Belt speed (m/sec):	30	
Working cap. on bed (mm):	650 x 75	
Working cap. on wheel (mm):	200 x 75	
Total rest height range (mm):	100 - 1,050	
Weight (Kg):	72	
Motor (W):`	2,200	
\$1,579.00 inc GST		

Wet Sharpener

	Model:		S4500
Utility Sharpener with Coolant tray.			with Coolant tray.
	Specifications:		
	Wheel (mm):		118 x 38, 120 grit
	Weight (Kg):		4.2
	Motor (W): 7	0	



\$229.00



Drill Bit Sharpener

diamond sharpening wheel.			
Specification	Specifications:		
Drill bit sharp	Drill bit sharpening range (mm):		
Point angle fixed:		118°	
Weight (Kg):	Weight (Kg):		
Motor (W): 80			
\$163.00 inc GST			

DBS13



Drill Bit Sharpener

Model:	BSG13
11 collets, 3-13	Smm
Specifications:	
Point angle:	100°-BS
Weight (Kg):	10
Motor (W):	140
\$110/	100



Wet Sharpener

Model:

10" Low Speed Wet Sharpener. Gear transmission for more torque 220 Grit grinding wheel and leather stropping wheel. Supplied with angle guide and knife holder

Specifications:	
Motor (W):	180
Motor speed (rpm):	95
Dry wheel size (mm):	200 x 30 x 12
Wet wheel size (mm):	250 x 50 x 12
Wet wheel grit:	220
Weight (Kg):	15.3
\$449.00	inc GST



Professional sharpening results made easy

Wet Sharpener

	•			
	Model:		S216	
8" Low Speed Wet Sharpener. Gear transmission for more torque 220 Gr grinding wheel and leather stroppin Supplied with angle guide and knife				irit ng wheel.
	Specifications:			
ı	Motor (W):	180		
	Motor speed (rpm):	95		
	Dry wheel size (mm):	200	x 30 x 12	
	Wet wheel size (mm):	200	x 40 x 12	
	Wet wheel grit:	220		
	Weight (Kg):	10.5	i	
	\$349.00			inc GST

220 GRIT GRINDING WHEEL AND LEATHER STROPPING WHEEL
 SUPPLIED WITH ANGLE GRIND AND KNIFE HOLDER
 GEAR TRANSMISSION FOR MORE TORQUE

Dressing device

Code:	TLA322
\$61.00	inc GST





Scissor jig

Code:	TLA314
\$89.00	inc GST



Leather honing wheel

Code:	TLA324
\$99.00	inc GST



Short knife jig

Code:	TLA312
\$59.00	inc GST



Axe jig

, ,	
Code:	TLA316
\$23.00	inc GST



Long knife jig

Code:	TLA310
\$59.00	inc GST



Cutting / Grinding

150mm Bench Grinder

Model:	BG151
Designed for New Zealand w grinder offers lots of power v features for long life.	

Specifications:	
Stone size (mm):	150 x 20 x 12.75
Spindle (mm):	12
Weight (Kg):	10.5
Motor (W):	250

\$179.00

inc GST

200mm Bench Grinder

Model:	BG202
Serious DIY grinder with eye the user.	shields to help protect

Specifications:	
Stone size (mm):	200 x 20 x 16
Spindle (mm):	16
Weight (Kg):	12
Motor (W):	300

\$199.00 inc 6!

200mm Bench Grinder

Model:	BG201
This grinder is robust and efficient, a compliment to the New Zealand workshop. Copper wires.	

Specifications:	
Stone size (mm):	200 x 25 x 16
Spindle (mm):	16
Weight (Kg):	13
Motor (W):	300

\$239.00 inc GST

Heavy Duty Bench Grinder

Model:	BG203
Robust bench grinder suitable accessories. Auto on light. Ma	

Specifications:	
Stone size (mm):	200 x 25 x 16
Spindle (mm):	16
Weight (Kg):	18kg
Motor (W):	550

\$282.00 inc GST



Heavy Duty Bench Grinder

Model:	BG204
200mm Bench Grinder with accessories.	20mm Spindle for

Specifications:	
Stone size (mm):	260 x 20 x 20
Spindle (mm):	20
Weight (Kg):	22.5
Motor (W):	700

\$359.00



Bench Grinder/Sander

Model:	BGS200
200mm Bench Grinder with attachment. Auto on light.	wood sanding

Specifications:	
Stone size (mm):	200 x 20 x 16
Spindle (mm):	16
Belt size (mm):	50 x 710
Weight (Kg):	16.5
Motor (W):	350

\$359.00 inc GST

80, 120 Grit Belts Available



Heavy Duty Bench Grinder

Model:	BG250H		
This heavy duty bench grinder is built tough. Comes with spindle for polishing mop and suitable for attaching accessories.			

Specification	s:			
Stone size (m	m):		250 x 2	5 x 20
Spindle (mm)	:		20	
Weight (Kg):	32.5	Motor	(W):	1,100
\$559.	00			inc GST



Heavy Duty Polisher

250mm Bench Grinder with double mop	Model:	BM250
attachments.	250mm Bench Grinder with do attachments.	ouble mop

Specification	S:			
Mop diamete	er (mm):		250	
Spindle (mm)):		20	
Weight (Kg):	21.5	Motor	r (W):	750
\$439	00			incGST



50mm Bench Grinder Linishing Attachment









50mm Bench Grinder Linishing Attachment

Model:	BLA122
Specifications:	
Suitable bench grinders (mm):	20
Power requirement (W):	600
Belt size (mm):	1220 x 50
Dimensions (mm):	550 x 210 x 410
Weight (Kg):	7.3
\$389.00	
7507.00	inc GST
F6 16	

250mm Wet Tile Cutter

Model:	TC250V			
Designed for cutting all kinds of tiles: wall, floor, stone and brick.				
Specifications:				
Blade (mm): 250 x 25.4				
Max cutting depth 90° (mm):		88		
Max cutting dept	38			
Max cutting width (mm):		610		
Weight (Kg):		42		

\$1,369.00

Motor (W):

1,650



Model:

Glue backed sanding disc.				
Specification	S:			
Disc diamete	r (mm):		305	
Table size (mm):			440 x 156	
able tilt:			0 – 45°	
Weight (Kg):	285	Motor	(W):	750
\$539.00 inc GST				

DS305



Tile Cutter

Model:

Model.		10100		
Portable tile cutter with coolant tray.				
Specification	S:			
Blade (mm):	180 x 22			
May sutting	donth 000 (mm).	24		
Max cutting	depth 90 (mm):	34		
Max cutting	depth 45° (mm):	21		
Weight (Kg):		11.6		
		450		
Motor (W):		450		
Max cutting	depth 90° (mm):	21		


\$259.00

inc GST



Model:	HV80
Horizontal and vertical belt s Stand included.	ander.

Belt Sander





Belt and Disc Sander

Model:		BD46C	Specifications:	
100x150mm belt and disc sander for the			Belt speed (m/sec):	7.35
domestic workshop. Cast iron base for stability. Easy adjust belt tracking syste		Belt size (mm):	100 x 914	
can be used vertically.			Disc diameter (mm):	150
			Work table tilt:	45°
			Belt table tilt:	90°
			Motor (W):	370
			Weight (Kg):	19
			\$379.00	inc GST





Oscillating Belt Sander

Horizontal and vertical belt sander with oscillating belt for fine sanding finish. Stand included.

Specifications:		
Belt speed (m/sec):	960	
Belt width (mm):	152	
Belt length (mm):	2,515	
Table travel (mm):	80	
Weight (Kg):	148	
Motor (W):	2,200	
\$2,589.00	in	c GST



Dust Collection



Dust Collector

Model:	DC10002
Economical dust collector with 5 sizes of hose adapter included.	
Specifications:	
Motor (W):	1100
Capacity (L):	50
Inlet size (mm):	94
Flux (m/h):	900
Weight (Kg):	12
\$319.00	inc GST

Single Port Mini Dust Collector

Model:	DC230
Dust collector for use in confined spaces. Single 100mm inlet.	

\$449.00	inc GST
Motor (W):	750
Weight (Kg):	22
Fan diameter (mm):	230
Inlets (mm):	1 x 100
Specifications:	



Single Port Dust Collector

Model:	DC101
Powerful 750 watt, single po suitable for use in both profe workshop.	

Specifications:	
Inlets (mm):	1 x 100
Fan diameter (mm):	230
Weight (Kg):	30
Motor (W):	750
- Fine micron bag - 57 Litre collection capacity	

To	DOLINE	
	Proce	

2 Port Dust Collector

21 of t Dust Collection		
Model:	DC201	
Two port, high power dust collector.		
Specifications:		
Inlets (mm):	2 x 100	
Speed (rpm):	2,850	
Fan diameter (mm):	300	
Weight (Kg):	47	
Motor (W):	1,500	
– Fine micron bag		
\$819.00	inc GST	



3 Port Dust Collector

\$599.00

Model:	DC300
Dust collector for the larger workshop.	
Specifications:	
Inlets (mm):	3 x 100
Fan diameter (mm):	305
Weight (Kg):	52
Motor (W):	2,200
– Fine micron bag	
\$979.00	inc GST



Router Table

Model:	RT013
Specifications:	
Table size (mm):	500 x 400
Table height (mm):	360
Table thickness (mm):	25
Table apertures:	20, 42, 90
Weight (Kg):	16
\$429.00	inc GST





Misc.

Roller Stand

Model:	RS-57-9
Specifications:	
Diameter of roller (mm):	37
Operation height (mm):	650 – 1,100
Weight (Kg):	31.8
Dimension (mm):	1,680 x 510 x 190

\$519.00

inc GST



Mitre Saw Stand

Model:	MSS2/60
Sturdy, light-weight stand su of mitre saw. Quick release s carry handle. Single leg adju	aw mounts,

Specifications:	
Operation Height (mm):	890
Operation Length (mm):	1160-2760
Max Holding Weight (Kg):	150
Weight (Kg):	23



Mitre Saw Stand

Model:	MSS3310
Sturdy, light-weight stand s of mitre saw. Quick release carry handle. Single leg adju	saw mounts,

Specifications:	
Operation Height (mm):	890
Operation Length (mm):	1510-3310
Max Holding Weight (Kg):	150
Weight (Kg):	26kg



Roller Stand

Model:	RRS-A
Compact and adjustable reprovides support for long v Sturdy construction.	

Specifications:	
Stand type:	Roller
Operation height (mm):	700 - 1,150
Tube diameter (mm):	38
Weight (Kg):	10.5
Max holding weight (Kg):	200



Jointer/Planer

Model:		J150D	
Specifications:			
Table (mm):	Table (mm): 1,210 x 255		
Cutting widt	h (mm):	153	
Max cutting depth (mm):		12.7	
Max rabbeting (mm):		12.7	
Weight (Kg):		119	
Knives:		3	
Motor (W):		750	
– Stand included			

\$1,729.00



nd

le (mm):	1,210 x 255				
ting widtl	n (mm):	153			1 6: 1
cutting	depth (mm):	12.7	Universal Bench Grinder Stand		der Stand
rabbetin	g (mm):	12.7	Model:		GS-B
ght (Kg):		119	Stand to suit all Tooline Bench Grinders and mop		ch Grinders and mops.
/es:		3			
or (W):		750	Specifications:		
Or (VV):		750	Base (mm):	390 x 390 x 7	0
and inclu	ded		Stand (mm):	370 v 370 v 8	12

Weight (Kg): 15.5

VSM50

Jointer/Planer

Model:		J200C	
Specification	s:		
Table (mm):	Table (mm): 1,800 x 330		
Cutting widtl	Cutting width (mm):		
Max cutting depth (mm):		12.7	
Max rabbeting (mm):		12.7	
Weight (Kg):		184	
Motor (W):		1,500	
– Stand included			
\$2.78	900		i CCT

Spindle Moulder

Cast iron worktable 100mm dust port.			
Specifications:			
Speeds (rpm):	11,500 - 24,000		
Cutter shank diameter (mm):	6/8/12		
Spindle height (mm):	0-40		
Max cutter diameter (mm):	50		
Motor (W):	1,500		
Weight (Kg):	21		
\$749.00	inc GST		

Ball Roller Stand

Model:	RRS-B
Compact and adjustable ro provides support for long v Sturdy construction.	

Specifications:	
Stand type:	Ball Roller
Operation height (mm):	700 - 1,150
Tube diameter (mm):	38
Weight (Kg):	10.5
Max holding weight (Kg):	200
64.45.00	

\$145.00



Dust Extractor

Accessory - 4" Elbow Model: TLA804 ELBOW



\$269.00

\$35.00

Dust Extractor Accessory - 4" Hose x 10 metres

Model: TLA800



\$35.00

HOSE

Dust Extractor Accessory -5" Y Splitter (to 4")

Model: TLA808

CONNECTOR



\$15.00

Dust Extractor Accessory - 4" Cap

Model: TLA810

CAP



\$28.00

Dust Extractor Accessory - 4" Blast Gate

Model: TLA802

BLAST GATE \$28.00

Dust Extractor Accessory - 4" Y Connector

Model: TLA806 CONNECTOR

Misc.

Portable Thicknesser

Max cutting width (mm): 318 Max cutting depth (mm): 3

Model:	PT318		
4-post thicknesser with anti kickback pawls Return rollers. Dust deflection plate.			
Specifications:			
Min cutting length (mm):	127		

Range of thickness (mm):			5 - 153	
Feed speed (m/min):		8		
Cutter speed (rpm):		9,000		
Weight (Kg):	32 Motor (\		r (W):	2,000
\$895.00 incGST				



406mm Thicknesser

Model:		PT104	
Industrial thicknesser. Three knives.			
Specifications:			
Table (mm): 453 x 406			
Max cutting width (mm):		406	
Max depth of cut (mm):		4.1	
Max thickness (mm):		204	
Cutter speed (rpm):		5,000	
Feed rates (fpm):		16,20	
Weight (Kg):		229	
Motor (W):		1,800	
\$3.69	8.00		inc GST



Accessories

inc GST

12 Piece Wood Carving Chisel

Model:	TLA230
12 chisels approximately 200mm length.	





Collet Chuck Set

Model:	ER 16 MT3
Collet chuck set MT3.	
\$297.00	inc GST

Collet Chuck Set

Model:	ER 16 MT4
Collet chuck set MT4.	
\$297.00	inc GST



Code:	TLA211
7 tips for 10mm turning tool	s.
\$199.00	inc GST



Turning Tool Set of Tips 16mm

Code:	TLA215
7 tips for 16mm turning tools.	
\$199.00	inc GST





8 Piece Wood Turning Tool Set

Model:	TLA225
8 chisels in 65Nm steel. In plastic pouch.	

6 Piece Wood Turning Tool **Box Set**

\$76.00

\$309.00	ine CCT
6 chisels in HSS. In wooden case.	
Model:	TLA218
DOX SCC	

TLA210

Turning Tool Set 10mm

Code:

7 piece.

\$339.00

Turning Tool Sets 16mm


ranning roof sets formin	
Code:	TLA214
7 piece,	
\$399.00	inc GST





SPEC SHEETS AVAILABLE FOR MOST PRODUCTS ONLINE, FOR ALL YOU **NEED TO KNOW**

Accessories



58 Piece Steel Clamp Set M10

Model:	SCK 10
\$194.00	inc GST

58 Piece Steel Clamp Set M12

Model.	JCK 12
\$215.00	inc GST

Dovetail Jig

Model:	DJ12
Comb:	1/2"
Max width (mm):	300
Thickness (mm):	8 – 32
Adjustable stops:	✓

\$329.00



Wheels (Mobile base)

Wheel set for machines up to 220kg.	
Model:	MB500



Scroll Saw Sanding Stick

¢11 00	
Grit:	120
Size (mm):	7 round
Model:	SSR7-129

58 Piece Steel Clamp Set M14

Model:	SCK 14
\$247.00	inc GST
58 Diaca Stool Clamp Sat M16	

58 Piece Steel Clamp Set M16

Model:	SCK 16
\$339.00	inc GST

PERFORMANCE AND VALUE FOR MONEY ADD UP TO THE RIGHT PRODUCT FOR YOU. CHOOSE WISELY, BASED ON WHAT YOU GET FOR WHAT YOU'RE PAYING.



We're always adding and updating our product range. If you can't find what you're looking for, ask... or look online

QUALITY & PERFORMANCE

YOU CAN'T TRUST YOUR WORK TO SECON BEST...






Vices

Welding Vice

£120.00	
Jaw Width (mm):	100
Model:	WV100



\$249.00	in cot
Jaw Width (mm):	125
woder:	VV V 125

Cross Slide Vice

Model:	CV4	
Jaw Width (mm):	100	
\$154.00		inc GST
Model:	CV6	
Jaw Width (mm):	150	
\$247.00		inc GST



Model:	Q19100E
Jaw Width (mm):	100
10000	

\$99.00 inc GST Q19120E Model:

125

75mm Drill Press Vice

Jaw Width (mm):

Model:	DPV3
\$38.00	inc GST

100mm Drill Press Vice

Model:	DPV4	
\$48.00		inc GST

125mm Drill Press Vice

Model:	DPV5
\$62.00	inc GST





Bench Vice

Model:	BV100
Jaw Width (mm):	100
\$159.00	inc GST
Model:	BV125
Jaw Width (mm):	125
\$249.00	inc GST

Model:	BV150
Jaw Width (mm):	150
\$329.00	
7 <i>J</i> 2 <i>J</i> .00	inc GST
Model:	BV200
Jaw Width (mm):	200
\$489.00	inc GST



Model:

Jaw Width (mm):

\$159.00

DPV6 \$72.00 inc GST


Q19150E











Wood Lathes

Wood Lathe

Model:	WL1000I			
Lightweight wood lathe for the domestic workshop.				
Specifications:				
Speed range (rpm):	850 - 2,510			
Max turning diameter (mm):	375			
Distance between centres (mm):	1,000			
Weight (Kg):	27			
Motor (W):	375			
\$439.00	to cor			



Wood Lathe

Model:	WL457
Heavy duty wood lathe for th workshop.	e domestic

Specifications:	
Speed range (rpm):	5, 760 - 3,700
Max turning diameter (mm):	245
Distance between centres (mm):	457
Weight (Kg):	34
Motor (W):	370

Motor (W): 370 \$779.00 inc GST

Wood Lathe

Model:

Variable speed for convenience. Head rotates for bowl turning. Comes with workstand.					
Specifications:					
Variable Speed (rpm):	500-2,000				
Max turning diameter (mm):	310				
Distance between centre (mm): 910					
Weight (Kg): 92					
Motor (W): 550					
\$1 198 00					


WL1000FV







Generators, Inverters, Compressors



Compressors Direct Drive



When you're working with tools, you should be working with Tooline.

Compressors Belt Drive

Compressor – Single Phase, Belt Drive

Introductary belt compressor.				
Model:			AC2250	
Specifications:				
Pump displacement (L/min): 312				
Free air delivery (L/min): 187				
Tank (L):	50	Motor (W):		2,000

inc GST

Compressor -Single Phase, Belt Drive

\$899.00

Model:			CCS50-268	
- Controlled cooling system - High pressure - 145psi.				
Specifications:				
Pump displac	280			
Free air delivery (L/min):			188	
Tank (L):	50	Motor (1,500	
64 260 00				

Compressor -Single Phase, Belt Drive

\$1,269.00

- Controlled cooling system - High pressure - 145psi.					
Specification	Specifications:				
Pump displacement (L/min): 334					
Free air delivery (L/min): 247					
Tank (L):	Tank (L): 50 Motor (W):			2,200	
44 200 00					

CCS50-360

Compressor – Single Phase, Belt Drive

Model:	CCS100-360
- Controlled cooling system - High pressure - 145psi.	
Specifications	

Specification	S:			
Pump displac	350			
Free air delivery (L/min):			247	
Tank (L):	100	Motor (W):		2,20

Compressor -Single Phase, Belt Drive

\$1,649.00

Model.	Fullia 17
An additional cylinder (3 in to suitable for most industrial air and efficient, it runs smoothly for all of your compressor needraw at cut-out.	tools. Tough and provides
c .c	

Specification	s:			
Pump displacement (L/min): 420				
Free air delivery (L/min):			305	
Tank (L):	58 Motor (W):		2,200	
40.000.00				

\$2,229.00











Compressors Oilless

6L Oilless Compressor

Lightweight and extremely quiet running. Model: AC6OL Specifications: Free air delivery (L/min): Tank (L): 6 Motor (W):



Compressor -Single Phase, Oilless

Whisper quiet running. AC1024OL Model: Specifications: Free air delivery (L/min): 100





Compressor -Single Phase, Oilless

Quiet running with extra tank capacity.

Model: AC1150OL Specifications: Free air delivery (L/min): 145 Tank (L): 50 Motor (W): 1100





Compressor -Single Phase, Oilless

Quiet running, high tank capacity, and high free air delivery.

AC2250OL Model: Specifications: Free air delivery (L/min): 295 50 Motor (W): 2200





Compressors

Compressors Petrol

Compressor – Petrol

Model:	AC24/50			
A lightweight and convenient compressor that's easily transportable. Auto idle.				
Specificat	ions:			
Pump displacement (L/min):			312	
Free air delivery (L/min):		187		
Start:		Recoil		
Weight (Kg):		92		
Tank (L): 50 Motor (HP):			6.5 Lifan	
\$1,349.00 incGST				



Compressor – Petrol

Model:	lel: PUMA 5520G			
A larger tank with Honda engine for the professional. Auto idle.				
Specifications:				
Pump displacement (L/min):			450	
Free air delivery (L/min):			315	
Start:			Recoi	I
Weight (Kg)			92	
Tank (L): 75 Motor (HP):			5.5	
\$2,799.00 incGST			inc GST	



Compressor - Petrol

Model:	PUMA 30				
Large portable compressor for industry, Honda engine. Auto idle.					
Specifications:					
Pump displacement (L/min): 970					
Free air delivery (L/min):			660	660	
Start: Recoil			I		
Weight (Kg):			205		
Tank (L):	120 Motor (HP):			11	
¢ < 100 00					



Compressors Three Phase

Compressor – 3 Phase

Model:	Puma 28
Specifications:	
Pump displacement (L/min):	970
Pressure range (bar):	2.4 - 10 (35 - 150psi)
Free air delivery (L/min):	610
Tank (L):	170
Motor (kw):	4.0 TECO
+ 4 000 00	



\$4,229.00 Compressor – 3 Phase


Model:			Pur	ma 55	
Specification	ns:				
Pump displacement (L/min):			1,680		
Pressure range (bar):			2.4 - 10 (35 - 150psi)		
Free air delivery (L/min):			1,19	90	,
Tank (L): 259 Motor (kw):			7.5 TECO		
\$5,987.00 incGST					



Compressor Oil

Model:	TLA 470
1 Litre	
\$32.00	inc GST
Airtool Oil	
Model:	TLA 472
250ml.	
\$12.99	inc GST





Compressors / Pumps

Bare Pump

Model:	PE75
Suitable for Puma 28.	
Specifications:	
Displacement (L/min):	970
\$1,998.00	inc GST



Bare Pump

\$2,890.00		inc GST
Displacement (L/min):	1,680	
Specifications:		
Suitable for Puma 55.		
Model:	PE150	



Bare Pump

Model:	PE100
Suitable for Puma 40.	
Specifications:	
Displacement (L/min):	1,215
\$2,190.00	inc GST



ACCESSORIES FOR PRESSURE WASHERS



Turbo Nozzle

Model:	TBN2-3000-0.025
Max pressure (psi):	3,000
Orifice ("):	0.025
¢70.00	

Model:	TBN2-3000-0.040
Max pressure (psi):	3,000
Orifice ("):	0.040

\$79.00



Variable Nozzle

Model:	VAN2-HC-0.025
Orifice ("):	0.025
\$25.00	

40F 00	
Orifice ("):	0.040
Model:	VAN2-HC-0.045





15" Heavy Duty Surface Cleaner

Model:	SSFC - SD15
Heavy duty surface cleaner	
Max pressure (psi):	3,600
Max temperature orifice (°C):	20
\$359.00	inc GST



18" Heavy Duty Surface Cleaner

Model:	SSFC - SD18
Includes handle.	
Max pressure (psi):	400
Max temperature orifice (°C):	20
\$919.00	inc GST



Model:	PW2801
2,800psi pressure washer with turbo lance and 5 quick nozzles.	
Maximum pressure (psi):	2,800
Motor (HP):	6.5
Water flow (L/min):	11.3
Weight (Kg):	35
\$969.00	



Commercial Pressure Washer - Petrol

Model:	PW3600
Impressive 3,600psi pressure washer with turbo lance and 5 quick nozzles.	
Maximum pressure (psi):	3,600psi
Motor (HP):	13
Water flow (L/min):	17
Weight (Kg):	59
\$1,795,00	iCCT



Professional Air Tools



Die Grinder

AT-7033LM Code: 6mm extended nose.

\$169.00 inc GST



AT-7033M

Die Grinder

6mm heavy duty.

Code:

Die Grinder

AT-7132M Code: 6mm medium duty.

\$122.00



AT-7132MK Code: 16 Piece, 6mm die grinder kit. Medium duty.

S184.00



Die Grinder

Code: AT-7134M 6mm medium duty die grinder

\$169.00 inc GST



Code: AT-4031 3/8" reversible.

S144.00



Drill

\$138.00

Code: AT-4035 Code: Medium duty 3/8" angle. Medium duty 3/8" straight

S246.00



AT-4038

Drill

Code: AT-4141 Heavy duty 1/2" reversible with slide handle and geared chuck.







Impact Wrench

AT-5044K Code: 1/2" heavy duty impact wrench kit.

S386.00



Impact Wrench

AT-5056 Code: 3/8" heavy duty ratchet wrench.

S199.00



Impact Wrench Kit

AT-5056K 3/8" heavy duty ratchet wrench with 17 piece kit.



AT-5057 Code: 1/2" heavy duty ratchet wrench.

S184.00

Impact Wrench



Impact Wrench

Code: AT-5066L Heavy duty 3/4" drive with twin hammer.

\$839.00 (\$699.00 for AT-5066)



Impact Wrench

Code: AT-5088 1" heavy duty 1" drive and 8" anvil. Double hammer mechanism.

\$2,390.00 incGST



Impact Wrench

Code: AT-5133 3/8" impact wrench (jumbo hammer).

S339.00



Impact Wrench

Code: AT-5130 3/8" impact wrench (rocking dog – butterfly).



Impact Wrench

Code: AT-5141 1/2" impact wrench with pin

\$386.00



Impact Wrench

Code: AT-5148 1/2" impact wrench with twin hammer.

\$499.00













Spray Gun

Code: AS-1001 Heavy duty, gravity feed.

\$184.00 inc GST

Orbital Sander

Heavy duty 150mm sander with

Hydraulic Riveter 3/16"

AT-6015

AT-6021

Medium Duty

3/16" hydraulic riveter

\$231.00

Metal Shears

Code:

(medium duty).

Code:

AT-7004DS

Code:



Gravity air spray gun with 600cc

AS-1002

Spray Gun

Code:

Belt Sander 10 x 33mm

Code: AT-7009 Heavy duty finger sander 25/64" x 13" (10 x 33mm).

\$246.00 in



Hydraulic Riveter 3/16" Kit

Code: AT-6015K

3/16" hydraulic riveter kit (medium duty).

\$299.00 inc GS



3" Cut Off Tool

Code: AT-6027 Medium duty, 73mm disc.

\$107.00 inc GST

Spray Gun

Code: AS-1040R High pressure spray gun (simple control).

\$199.00 inc GST



Belt Sander 20 x 520mm

Code: AT-7010

Heavy duty belt type sander 20 x 520mm.

\$419.00 inc G



Hydraulic Riveter 3/16" Heavy Duty

Code: AT-6218

3/16" hydraulic riveter (heavy duty).

\$820.00 inc GST




Body Saw

Code: AT-6011

Medium duty, front exhaust.

\$169.00 inc GST



Code: AS-1070
2 Litre spray tank with spray gun.

\$499.00 inc GST



Angle Grinder – 100mm

Code: AT-7036

100mm level throttle type, medium duty angle grinder.

\$299.00 inc GST



Impact Screwdriver

Code: AT-4063

Low rotational speed screwdriver (2,500rpm).

\$215.00 inc G



Body Saw (Front Exhaust) Kit

Code: AT-6011K

Medium duty, body saw with 18 piece kit.

\$246.00 inc GST



Spray Gun with Tank

Code: AS-1180
2 1/4 gallon paint tank with spray gun.

\$629.00 inc GST



Angle Grinder – 125mm

Code: AT-7037

125mm level throttle type, medium duty angle grinder.



Cushion Clutch Screwdriver – Slow Revving

Code: AT-4080A
Adjustable clutch screwdriver piston type 800rpm.

\$246.00 inc GST



Nibbler

Code: AT-6025 inc GST









Professional Air Tools



Sand Blasting Kit

-	
Code:	AA-3071
Sand blasting kit.	
\$68.00	inc GST



Flux Chipper

\$469.00		
Heavy duty industrial flux chipper.		
Code:	AT-2501	



Needle Scaler

\$469.00	
Heavy duty needle scaler. Needle set available.	
Code:	AT-2500



Needle Scaler

Code:	AT2505
Heavy duty needle set available.	scaler. Needle
\$469.00) inc GST



Polisher

\$359.00 incGST		
7" angle polisher, medium duty.		
Code:	AT-7074	



Filter/Regulator

Code:	AA-2120FR	
Control unit for PUMA 15, 17 compressors.		
\$127.00 incGST		



Hammer

Code:	AT-2015
Medium duty 190n (round).	nm hammer
\$139.00	inc GST



Air Speed Nailer

\$324.00 inc GST	
1,000bpm.	
Code:	AT-3100
Cada	AT 2100



1/3 Sheet Orbital Sander

Code:	AT-7025
Jitterbug	
\$262.00) inc GST

Tyre Gauge

Code:	AA-6004
Professional 3 function	on tyre gauge.
\$146.00 incGST	



Tyre Gauge

Code:	AA-6008
3 function tyre gauge	e.
\$53.00 incGST	



Hammer 9 Piece Kit

Code:	AT-2012KR
Medium duty hammer with 9 piece kit.	
\$215.00	



Blow Gun

Code:	AA-3011
Aluminum blow gu	ın.
\$19.00 inc GST	






Blow Gun

Code:	AA-5006-3
300mm tube.	
1.000	
\$19.00	inc GST



Blow Gun

¢22.00	
110mm tube, adjustable flow.	
Code:	AA-5018





Blow Gun

Code:	AA-5018-3
340mm tube, adjus	stable flow.
\$26.00	inc GST



Blow Gun

blow Guii	
Code:	AA-50180-5
500mm tube, adjustable flow.	
_	

\$31.00 inc GST



Wonder Gun Kit

Code:	AA-5005
Wonder gun kit.	
\$96.00	inc GST



Under Coating Gun

	_
Code:	AA-5001
Under coating gun	
\$74.00 inc GST	



What you need to know about

Airless Spraying

INSIDE OR OUT - BIG OR SMALL SPACES ROOF, WALLS, FENCES | TIME-SAVING SUPERB FINISHES

Get one now. Paint sprayers are a great tool for EVERYONE. It used to be something you'd only expect professionals to use, but now they're easier and more accessible for all of us. Whether you're working as a painter, or doing some DIY, we've got the airless sprayer for you. Inside or out, they're quick and easy to use and can give that really slick, professional looking finish. Get the right tool for the job... read more here See inside. **FAST & EASY** TRUSTED PERFORMANCE PRICED FOR YOUR BUDGET COMPREHENSIVE RANGE





You can paint or coat anything more quickly. Added speed means you get done in less time, with less work. And that's really important if you've got limited time - outside for example with a short weather window. It's been estimated airless spraying is up to ten times faster than using a standard paint brush!

Airless systems don't use compressed air - as the name suggests, but rather high pressure and a tip to regulate the flow.

Cleaning up

hen you've finished spraying, sorry, but you're not done.

Remember you need to take your paint sprayer apart and clean it after every use. If you don't it could clog up and a clogged filter or tip can also create messy splatter. You don't want to be replacing things when a few minutes of cleaning up after yoursel means you'll be ready to not the port time you want to use your survey.



It's easy to keep your airless sprayer in top condition and after the first time, it's so easy to do to ensure your unit will be ready for its not tob. Clear your figs on Money Common and American Clear your figs on Money Common water with the figs six fit is reversif Clear figs with a british if you're storing them for a while, do so in a seaked container of water or solvent. Clear and cheek your filters. If it's more han 20% clogged, register the fifter. Do multiple rinses to clean your airloss grouper. Common with the clear of the common proving common with clear water. They want the clear water figs you're storing you sprayer overnight, water is Col. but thinner is butter. Bemember not so to the huist under Money Common Money Mone



In field trials, airless sprayers have been shown to be up to

10x FASTER

than using conventional paint brushes.

Home Series Air Tools

Coupler - Air Plug

c 1	404/45
\$2.99 incGST	
ARO 1/4" Connector pack.	r male in display
Code:	AP 1/4 M

AP 1/4 F ARO 1/4" Connector Female in display pack.

\$2.99





5 Piece Quick Coupler

Code:	AA-4022
ARO 1/4" 5 piece quick couple kit.	

\$28.00



3-Way Quick Coupler

Code:	AQC-3A
ARO 1/4" 3-way quick coupler.	

\$56.00



Code:	AQC-3B
ARO 1/4" 3-way quick coupler.	



Mini Oiler-Brass

Code:	RP8055
\$14.00	inc GST



Air Filter

Code:	RP8054
\$22.00	inc GST



Quick Coupler

Code:	QC 1/4 F
ARO 1/4" female in display pack.	

\$7.99 inc GST QC 1/4 M

ARO 1/4" male in display pack.

S7.99



2-Way Quick Coupler

Code:		AQC-2B
ARO 1/4" 2-way qui		ick coupler.

\$37.00



3-Way Quick Coupler

Code:	AQC-3B
ARO 1/4" 3-way quick coupler.	

\$56.00



Die Grinder Kit

\$62.00	
14 piece die grinder kit.	
Code:	RP 27313K



Coupler - Air Plug

Code:	APM Nitto
Nitto 1/4" BSP connector male in display pack.	
¢2 40	

\$3.49 APF Nitto

Nitto 1/4" connector female in display pack.

S3.49 inc GST

Hose Barb

Code:	HB 1/4 M
ARO Connector with hose barb in display pack.	

\$2.99	inc GST
Code:	HB 1/4 BSP
1/4" Connector with hose barb in display pack.	

\$2.99



inc GST

Swivel

Code:	AR-3010
1/4" swicel connection.	

\$23.00 inc GST



Cut off tool

\$64.00	inc GST
Air consumption:	128 l/m/n
Code:	RP 27620



Quick Coupler

CM Nitto	
Nitto 1/4" BSP male in display pack.	
inc GST	
CF Nitto	

\$11.99

Nitto 1/4" BSP female in display

Tyre Inflating Gun

620.00	
150psi rated pressure.	
Code:	RP 8037-2

\$28.00



PE1024

Hex Nipple Code:

\$6.99

1/4" x 1/4" BSP coupler in display pack.

Speed Nailer

Max nail length:

Air Body Saw

Code: Nail head width: MSN90

3-11mm

90mm

RP 7602

Code:	HN 1/4 - 1/8
1/4" - 1/8" BSP	
\$7.99	inc GST

Reduce Hex Nipple





For bicycles, balls, tubes, etc.









Spray Gun

Code:	AB17S	
HVLP Spray Gun. 1,000ml cup.		
\$49.00 inc GST		



Touch Up Spray Gun

Code:	M308	
High pressure 200ml cup.		
\$60.00 inc GST		
` .		



Air Brush Set

Code:	ABS1	
\$38.00		inc GST



Spray Gun Kit - 5 Piece

Code:	RP8031K5	
5 piece suction spray gun kit.		
\$112.00 inc GST		



Spray Gun Cleaning Kit - 13 Piece

Code:	CK130
\$9.99	inc GST
Woner our	13PC.MASTER SPRAY 6CM CLEANING NIT



Body Washing Gun

Code:	R8036	
Rated pressure 90psi.		
\$33.00 inc GST		



Mini Oil Free Compressor

\$209.00)	inc GST
150W, 42.5psi.		
Code:	V-505	
•		



Air Blow Gun 100mm

R8035-4
inc GST



Spray Gun

Code:	R827B
Gravity feed.	
\$82.00	inc GST



\$19.50	inc GST
Metal body.	
Code:	RP8032-1



Spray gun

Code:	RP4001
\$82.00	inc GST



Low pressure spray gun

Code:	RP472
\$45.00	inc GST





tooline.co.nz

Rongpeng - Nailers & Staplers







2-1 Air Braid Nailer / Narrow Crown Stapler

Code:	SF5040
Nail Size:	Ga 18
Staple Size:	Ga 18
Nail Length (mm):	10 - 50
Staple Length (mm):	16 - 40
Carry case.	
\$99.00	inc GST

Code: T64C
Nail Size: Ga 16
Nail Length (mm): 25 - 64

Cary case.

\$199.00 inc GST

Narrow Crown Stapler

	Code:	9040C
	Staple Size:	Ga 18
	Staple Length (mm):	16-40
	Carry case.	
	\$99.00	inc GST
VALU-AIR		
	0	
VALUE AND STREET		
		•
П		

Wide Crown Stapler



Paint Accessories





RELIABILITY, QUALITY & EFFICIENCY - those are the keywords for RONGPENG. With over 20 years specific experience in the sector, they've led the way with innovation and high quality standards.


With over 100,000 sq metres of manufacturing space and more than 1,200 employees, this is a major Chinese manufacturer supplying excellent product.





Rongpeng Air Agitator

Model:	R8410	
Started by low pressure, highly flexible agitation for all kinds of paint		
Free spee (rpm):	2,000	
Total height (mm):	650	
Stirrer height (mm):	350	
Support frame height (mm):	430	
Weight (Kg):	6	
¢500.00		





Rongpeng Diaphragm Pump

. 51. 5 . 1.	5	
Model:	R8411	
Suitable for all kinds of liquid.		
Pressure ratio:	1:1	
Operating pressure (bar):	4-7	
Max. free flow (L/min):	10	
Weight (Kg):	7.6	
\$619.00	i	nc GST



Puma Double Diaphragm Pump

Model:	SP-1580
Specifications:	
Pressure ratio:	1:1
Air pressure (Kg/cm²):	1-5
Delivery 5L (Kg/cm ²):	0.4
Delivery 7.5L (Kg/cm ²):	1
Delivery 10.5L (Kg/cm²):	2
Weight (Kg):	10.5
\$1,224.00	inc GST



/ uness i unit sprayer		
Code:	R550	
Heavy duty metal construction. Supports 2 guns. Wheels and handle included.		
Max tip size (Single gun)	.027"	
Max tip size (Twin gun)	.019"	
Max pressure (psi):	3,300psi	
Max flow rate (L/min):	4	
Hose (m):	15	
Motor (W):	2,800	
Weight (Kg):	23.6	
\$2.780.00		



Airless Paint Sprayer

	Model:	R 515	
	Solid, heavy duty metal construction. Supports two guns.		
	Max tip size (Single gun):	0.025"	
	Max tip size (Twin gun):	0.019"	
	Max pressure (psi):	3,300	
	Max flow rate (L/min):	3.5	
	Hose (m):	15	
	Motor (W):	2200	
8	Weight (Kg):	19	
	\$2,199.00	inc GST	



Our Leading Brands:

Tooline is a trusted name in the New Zealand tool sector. Not only known for its range of high performing, reliable tools at a great price, Tooline also has dependable after sales service and support that's based here, locally. We put our name on quality products we stand behind and proudly import into the country. Rely on Tooline.




Puma has been one of our most popular brands for a great many years now.

They've been around since the late 1970s with a core business philosophy

of Cooperation & Honesty.

That's backed up by research and innovation in their field.

From Taiwan to us, with a promise of quality.



Since the introduction of RONGPENG tools in 1998, this highly respected manufacturer from China has anticipated customer needs with an ever-growing range of tools.industry-leading in their innovative way of solving your everyday challenges.



...out of TAIWAN

starmix

From Germany comes Starmix with over 100 years of vacuum cleaner expertise. Their sweepers have become industry standard, with unequalled performance, reliability and ease of use - and all at a great price.

Also engineered in Germany, Haaga offers the best in sweeping technology. to give us a comprehensive range that's more than fit for purpose.



AIR CENTER

ex GERMANY

Quality made in Germany

Alongside other great brands like...



Air Tools



WHERE IN THE WORLD
WOULD YOU GET THIS CHOICE?



Hoses







PU Braid recoil hose

Code: AH-0365-25 25' x 10mm hose with 1/4 BSP fitting. \$52.00

Check out our great air hoses & accessories and their great prices!



Rubber Braid Air Hose		Rubber Braid Air Hose	
Code:	AH-13A13025	Code:	AH-13A1305

Rubber braid hose with ARO fittings 25'

S96.00

fittings 50'

\$179.00

Rubber braid hose with ARO





10m Rubber Air Hose

Code:	R1016
Roll of 3/8" rubber air hose with 1/4" ARO fittings.	
4=0.00	

\$58.00

20m Rubber Air Hose R2016

Roll of 3/8" rubber air hose with 1/4" ARO fittings.

S99.00



10m PVC Air Hose

Code: PVC1016 Roll of 3/8" PVC air hose with 1/4" ARO fittings.

\$38.00

20m PVC Air Hose

Code: PVC2016

S60.00

30m PVC Air Hose

Code: PVC3016 \$92.00

100m PVC Air Hose

PVC10016 Roll of 3/8" PVC air hose with no \$254.00

INSIDE OR OUT, TOOLINE IS YOUR CHOICE

Concrete Mixer

COTICIETE MIXE				
Model:	CM125			
Specifications:				0200
Drum capacity (L):	125			#00000 #000000
Drum mouth (mm):	385			
Weight (Kg):	60		7	
Motor (W):	550			Jo T
\$749.00	inc GST			
	-	31		

Concrete Mixer

Model:	CM130		
Specifications:			
Drum capacity (L):	135		
Drum mouth (mm):	385		
Weight (Kg):	52		
Motor (W):	550		
\$749.00	inc GST		





Log Splitter - Petrol

\$3,450.00	inc GST		
Weight (Kg):	230.6		
Motor (HP):	6.5 Briggs & Stratton		
Log capacity (mm):	650		
Splitting force (Ton):	28		
Specifications:			
Model:	LS28		



Model:	LS5		
Specifications:			
Splitting force (Ton):	5		
Log capacity (mm):	520 long 350 diameter		
Motor (W):	2,200		
Weight (Kg):	45		
¢ (71 00			

inc GST



\$6/1.00 Stand available.

Cross wedge available.



Wood empper Tetror		
Model:	WC70	
Chipping capacity (mm):	70	
Rotor size (mm):	400 x 10	
Weight (Kg):	108	
Motor (HP):	6.5 Loncin	

\$1,998.00 inc GST

Earth Auger - Petrol

Model:	EA250
Type:	1 or 2 person
Engine:	4hp, 4 stroke (141cc)
Max speed (rpm):	200
Gear ratio:	16:1
Weight (Kg):	17
¢740.00	

100, 150, 200, 250mm Augers Available, 305mm Extension Shaft available



Wood Chipper - Shredder

Model:	GS35
Chipping capacity (mm):	70
Rotor size (mm):	400 x 10
Weight (Kg):	108
Motor (w):	1,500

\$519.00







Rear Tine Tiller

rical fille filler			
Model:	RTT450		
Dual rotating blades.			
Gearbox:	Foward & Reverse		
Motor (cc):	196 (6.5HP)		
Tilling width (mm):	450		
Tilling depth (mm):	330		
Weight (Kg):	92		
£0.407.00			



Front Tine Tiller

Model:	FTT760
Motor (cc):	196 (6.5HP)
Gearbox:	Forward & Reverse
Tine:	Forward
Tilling width (mm):	310, 520, 760
Tilling depth (mm):	350
Weight (Kg):	60.4



\$1,074.00 \$2,127.00

Chainsaw Chain Sharpener

Model:	ECS 100
Motor (W):	85
Table angle:	35° Left + Right
Shaft diameter (mm):	23
Weight (Kg):	2.2



Walk behind Lawn Edger

	,
Model:	LE 228
Motor (cc):	140
Blade size (mm):	228
Cutting depth options:	6
Max bevel (°):	20
Weight (Kg):	27

\$839.00

\$97.00



Walk behind blowe

\$1,194.00 inc GST	
Weight (Kg):	40
Max air speed (Km/hr):	240
Max air volume (m³/hr):	2040
Motor (cc):	196 (6.5HP)
Model:	WBB 240



Walk behind String Trimmer

_		
Model:	ST 560	
Motor (cc):	159	
Cutting width (mm):	560	
Cutting height min (mm):	38	
Cutting height max (mm):	90	
Cutting heights:	5	
Weight (Kg):	27	

\$895.00






Power Sweeper

£1 700 00	
Weight (Kg):	68
Broom diameter (mm):	380
Sweeping width (mm):	700
Gearbox:	Forward & Reverse
Motor (cc):	196(6.5Hp)
Model:	PS 700

\$1,/29.00



riate compactor	Ctioi	
Model:	PC63	
Vibratory, heavy duty. Wheels and water tank included.		
Plate size (mm):	515 x 390	
Motor (HP):	5.5 Loncin	
Compaction depth (cm):	25	
Travel speed (m/min):	25	
Weight (Kg):	63	
\$1,194.00	inc GST	



Power Wheel barrow

rower writeer barrow	
Model:	PWB 500
Motor (cc):	196(6.5Hp)
Load capacity (Kg):	500
Hopper length (mm):	1050
Hopper width (mm):	750
Hopper depth (mm):	700
Weight (Kg):	170
1	



Metal Lathes & Drill Mills

Metal Lathe

Model:	CQ6125VX550
Distance between centres (mm):	550
Engine (W):	550
Spindle speeds (6) (rpm):	125 - 200
Swing over bed (mm):	250
Weight (Kg):	112



Metal lathe

Model:	CQ6240X1000
Swing over bed (mm):	400
Swing over gap (mm):	520
Spindle speeds (rpm):	65 - 1810
Spindle base (mm):	52
Between centres (mm):	1080
Max cross slide (mm):	180
Weight (Kg):	640
Width of bed (mm):	218
Motor (W):	2000



Metal lathe

Model:	CQ6230X1000
Swing over bed (mm):	310
Swing over gap (mm):	450
Spindle speeds (rpm):	65 - 1810
Spindle base (mm):	38
Max cross slide (mm):	130
Max top slide (mm):	75
Max tail stock quill (mm):	100
Width of bed (mm):	181
Motor (W):	1500



TOOLINE ZX45





ZX45
45
Face 80 end 32
MT4
800 x 240
390
120
75 - 1600
1500

Spindle stroke (mm):

Spindle Speed 1: Spindle Speed 2:

Motor (W):

120 75 - 1600

150 -1600

1500

Chucks, Chuck keys, & Arbours

Geared Chucks



Code	Clamping width (mm)	Female thread	Key size
TLA5254	1-10	3/8" - 24UNF	2
TLA5304	1-13	1/2" - 20UNF	2
TLA5036	1-13	B16	2
TLA5050	3-16	B16	3
TLA5049	3-16	B18	3
TLA5058	5-20	B22	4

Chuck Keys



Code	Key size
TLA5165	1
TLA5167	2
TLA5168	3
TLA5169	4



Keyless Chucks

Code	Clamping width (mm)	Female thread	Hand
TLA6620	1-13	1/2" - 20UNF	2
TLA6621	1-13	1/2" - 20UNF	1



Code	Clamping width (mm)	Female thread	Hand
TLA6353	1-13	B16	2
TLA6361	3-16	5/8" - 16 UN	2
TLA6602	1-13	1/2" - 20UNF	2



Taper Arbours for Chucks



Code	Morse taper	Chuck taper
TLA5115	2	B16
TLA5116	2	B18
TLA5120	2	J3
TLA5126	3	B18
TLA5129	3	J3
TLA5125	3	B16



easy to use with ergonomic padded push handles

Push Sweeper

Model:	Star Sweep 65	
Entry level push sweeper. Compact storage.		
Sweeping performance (m ² /hr):	2,100	
Brush drive:	Manual	
Sweeping width (cm):	65	
Container volume (L):	18	
Weight (Kg):	10	
\$350.00		

For occasional sweeping of medium-sized areas. Ideal for sweeping the garage, yard and street, as well as for use in smaller commercial units.

push operation or fast & simple battery changeover

ideal for

large.

industrial & outdoor spaces

for **HOME** or WORKSPACE

Commercial Sweeper

Model:	haaga 375
Turbo sweeping system - sweeping twice in one step. Even the most fine debris is collected.	
Brush height adjustment, intuitively variable for optimal sweeping on every surface.	
High quality and long lasting disc brushes.	
Space saving storage in upright position.	
Sweeping width (cm):	75
Brush drive:	Manual

Container volume (L2): 50 Sweeping performance (m²/hr): 2,900 Weight (Kg): 11.1

\$1,449.00



Use for medium-sized areas up to 1,000sqm such as workshops, petrol stations and yards, for occasional sweeping.

haaga 497 Profi Model: Sweeping width (cm): 97 Brush drive: Manual Container volume (L): 50 Sweeping performance (m²/hr): 3,600 Weight (Kg): 15.7 \$2,589.00

inc GST

Commercial Sweeper

CORDLESS

BRILLANCE

For more frequent professional sweeping operations for large areas up to 2,000 sqm. Great for property management, cleaning companies, petrol stations, workshops, car parks, courtyards, warehouses and production halls.



- GERMAN PRECISION& PERFORMANCE
- VERY EASY TO PUSH
- A NEW GENERATION OF SWEEPERS
- EVEN MORE DURABLE
 AND POWERFUL

Forget about dirty, messy floors and put that old hard broom away. So yesterday! Now there's an option that's just so much better.

The incredible sweepers redefine the way we clean up. Thought has been given not only to performance efficiency, but to all those vital ergonomic considerations.



Professional Sweeper

Model:	Starmix DuroSweep 77 Pro	
Sweeping width (cm):	77	
Brush drive:	Manual	
Container volume (L):	40	
Sweeping performance (m²/hr):	3,000	
Weight (Kg):	15	
£2.400.00		

\$2,189.00

inc

For frequent professional use for very large areas up to 3,600 sqm.

Easy to push thanks to turbo sweeping system and beltless drive.
Wet and dry sweeping.



Professional Sweeper

Model:	Starmix DuroSweep 77 Pro 18V
Sweeping width (cm):	77
Brush drive:	Battery
Container volume (L):	40
Sweeping performance (m²/hr):	3,600
Weight without battery (Kg):	16
\$3,089,00	inc GST

Batterys + Charger not included

Light sweepings to heavy and damp. Greater sweeping performance due to disc brooms protruding on both sides for easy sweeping on curbs and walls due to additional guide rollers. **PRODUCT**

RANGE

Some things to consider:

Price vs Performance

What costs you more in the long term? That's the question.
Buying cheap and having gear that doesn't live up to its promises or gives up the ghost too soon? Or spending just a little bit more for something that you can expect to give you year after year of robust performance?
Are you a short term or long term

Of course, everyone buys for the job. Just makes sure you're getting the right equipment for what you need.



Longevity & Experience



We deal with some of the leading manufacturers in the world, with years and years of experience, who are used to dealing with mass markets around the world. At that level you can't afford to not have your systems and quality control in place.

And, you know how important it is to keep up competitively, with real innovation and technical advances.

All these products aren't new to the trade, or fresh off the drawing board - they've been proven and preferred.


Knowing you've got local support

No one is happy dealing with bots or trying to get an answer from Al. And that's if you can find a way to contact wherever your product came from, because so often it's a game of pass the hot potato all down the line. At Tooline we believe in actually being accountable for the products we sell and standing behind them (provided you use them appropriately, of course). So, when there is a problem we've got a kiwi here to help sort things out for you.



It all adds up to a lot...

When you do the math, all the various advantages make for substantial real-world benefits. That means you can calculate a very convincing argument for making our products your first choice. Put together all the positives then take away the hassles of dealing with a raft of uncaring middlemen, of using equipment that just doesn't quite live up to its promise, or the downtime that comes from faulty gear and the equation's an easy one.



MAKE IT A
CONSIDERED
DECISION BASED
ON ALL THE MANY
BENEFITS...

Before you buy anything, think carefully. What do you actually need? Don't underestimate it, or you're likely to regret it later. How long do you intend to use the equipment? It's often longer than you might initially think. Ask yourself these things to save you grief in the long term.

If you want to know more, go online tooline.co.nz





